

## DECLARATION OF PERFORMANCE

DoP No 14428

1. Unique identification code of the product-type:

**For product number please see attached list**

Product-Type, batch or serial number or any other element allowing identification of the construction product:

**SC: Shower Enclosures**

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Personal hygiene (PH)**

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**LAUFEN CZ s.r.o.  
V Tůních 3/1637  
120 00 Praha 2, Česká republika  
Tel: +420 296 337 711 / e-mail: office.praha@cz.laufen.com / website: www.jika.cz**

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**not applicable**

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

**System 4**

6. Harmonised standard:

**EN 14428: 2015**

7. Declared performance

Essential characteristics	Performance
Impact resistance (IR)	Confirmed
Cleanability (CA)	Confirmed
Durability (DA)	Confirmed

**The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.**

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

**not applicable**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.



## DECLARATION OF PERFORMANCE

DoP no 14428

Product No.	Name	Product type	Material	Designation code	Essential characteristics
H2533810006661	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2533810006651	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513820006681	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513820006661	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513820006651	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513810006681	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513810006661	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513810006651	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2913880000141	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2537130026681	Mio	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2537120026681	Mio	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2537110026681	Mio	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2572120026681	Tigo	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2572110026681	Tigo	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2562120026681	Tigo	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2562110026681	Tigo	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2512110026681	Tigo	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2512110026661	Tigo	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2674200026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674210026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674230026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674240026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674250026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674260026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674270026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674280026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674290026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684200026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684210026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684230026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684240026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684250026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684260026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684270026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684280026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684290026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694200026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694210026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694230026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694240026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694250026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694260026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694270026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694280026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2534220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544200026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544210026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544230026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544240026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544250026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544260026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544270026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2974210026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2974220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2974230026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products